



EV309141848US

**Figure 1**

200 

Change Definition Command CDB (Command Descriptor Block)									
	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0	
Byte 0	Operation Code (40h)								
Byte 1	Reserved								
Byte 2	Reserved							HR	
Byte 3	Vendor Specific 2				Definition Parameter				
Byte 4	Vendor Specific 3			Vendor Specific 1					220
Byte 5	Password								230
Byte 6	Password								240
Byte 7	Password								250
Byte 8	Parameter Data Length								
Byte 9	Control								

Figure 2


300


310	<b>Vendor Specific 1 (Functionality Field)</b>		320
	Value	Definition	
350	00h	No Capacity Change	
355	01h	Use Maximum Capacity	
360	02h	Limit Capacity to 4.5 GB	
365	03h	Limit Capacity to 18.2 GB	
370	04h	Limit Capacity to 36.4 GB	
375	05h	Limit Capacity to 73.4 GB	
380	06h	Limit Capacity to 146.8 GB	
385	07h	Limit Capacity to 300 GB	
390	08h-1fh	Reserved	

**Figure 3**


## System and Method for On-Demand Computing for Parallel SCSI


4 / 8

**Figure 4**


**Figure 5**

6 / 8

**Figure 6**

**Figure 7**

8 / 8

**Figure 8**